Edexcel GCE	Centre Number	Candidate Number
Biology		
Advanced Subsidi Unit 4: The Natura Survival	•	t and Species
Advanced Subsidi Unit 4: The Natura	al Environmen 0 – Morning	t and Species Paper Reference 6BI04/01

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.

Information

- The total mark for this paper is 90.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.
- Questions labelled with an asterisk (*) are ones where the quality of your written communication will be assessed
 - you should take particular care with your spelling, punctuation and grammar, as well as the clarity of expression, on these questions.
- Candidates may use a calculator.

Advice

- Read each question carefully before you start to answer it.
- Keep an eye on the time.
- Try to answer every question.
- Check your answers if you have time at the end.

N37095A

1/1/1/1/1/



Turn over •

edexcel

advancing learning, changing lives

Answer ALL questions.

Some questions must be answered with a cross in a box \boxtimes . If you change your mind about an answer, put a line through the box \boxtimes and then mark your new answer with a cross \boxtimes .

1	Forensic scientists use several different types of evidence to estimate the time of
	death of a body.

(a)	Place a cross ⊠ in the boxes next to the two types of evidence that could be u	sed
	by a forensic scientist to estimate the time of death of a body.	

(2)

X	Degree	of muscle	contraction
---	--------	-----------	-------------

□ Length of fingernails

Signs of decomposition

Skin pigmentation

(b) The core temperature of a body can also be used to estimate the time of death. This can be recorded by measuring the temperature of the rectum.


The table below shows the mean core temperature, measured at 2-hour intervals after death, using data from a large number of bodies. The standard deviation from each of the means is also shown.

Time after death / hours	Mean core temperature /°C	Standard deviation from the mean / °C
2	36.7	0.9
4	36.0	1.1
6	35.3	1.3
8	31.3	1.5
10	29.6	1.7
12	28.1	2.0
14	26.7	2.3
16	25.5	2.6
18	25.0	2.9
20	23.6	3.1
22	22.8	3.3
24	22.3	3.4
26	21.8	3.4

estimate the time			(4)
auggest three fact	tors that could influence the	rate at which a body o	ools after
uggest three fact leath.	tors that could influence the	rate at which a body o	ools after (3)
uggest three fact	tors that could influence the	rate at which a body o	(3)
Suggest three fact	tors that could influence the		(3)
leath.	tors that could influence the		(3)
luggest three fact	tors that could influence the		(3)
luggest three fact	tors that could influence the		(3)
luggest three fact	tors that could influence the		(3)
uggest three fact	tors that could influence the		(3)


%

	ants	rocess that accounts for most of the difference between GPP and NPP in s.	(1)
\times	A	Chemosynthesis	
\boxtimes	В	Respiration	
\times	C	Photosynthesis	
\times	D	Protein synthesis	
		ence to the structures in a chloroplast, explain how the energy from de available in ATP molecules for the synthesis of organic materials.	(6)
	•••••		
		(Total for Question 2 = 12 mai	rks)



3 Filamentous algae are simple photosynthetic organisms that consist of long strands of very similar eukaryotic cells. Each of the cells in the strand is enclosed within a cellulose cell wall. The strand increases in length as the cells divide and elongate.

The photographs below show some cells in strands of a filamentous alga, as seen using a light microscope.



Magnification ×200

Magnification ×200

(a) (i) Put a cross ⋈ in the box next to the term that describes the process involved in the cell divisions in a filamentous alga.

(1)

- A exocytosis
- **B** meiosis
- **C** mitosis
- **D** osmosis
- (ii) Put a cross ⊠ in the box next to the structure that would **not** be found in a cell from the strand of a filamentous alga.

(1)

- A lysosome
- B mitochondrion
- ☑ C plasmid
- **D** ribosome
- (b) An investigation was carried out into the effect of temperature on the rate of growth of a filamentous alga. Several short strands of the alga were placed into culture solutions which were kept at five different temperatures and at a high light intensity.

The number of cells in the strands, in each culture solution, was counted at the beginning of the time period and again after 18 days.


The rate of growth was then calculated.

The results of this investigation are shown in the graph below. 1.0 0.9 Rate of growth / arbitrary units 8.0 0.7 0.6 0.5 0.4 0.3 0.2 0.1 0 -18 20 22 12 14 16 24 26 Temperature / °C Name the **independent** variable in this investigation. (ii) Using the information in the graph, describe and suggest explanations for the effect of temperature on the rate of growth of the filamentous alga.

(4)


(1)

ΙΙζ	ght intensity.	(3)
iv) Su	uggest two abiotic factors, other than light intensity, that would need to be ontrolled in this investigation.	
CC	in this investigation.	(2)
	(Total for Question 3 = 12 mar	 .lea\
	(Total for Question 3 – 12 mai	N3)



)			
4	Various non-specific responses of the body are involved in resistance to bacterial infections.					
		istamine, interferon and lysozyme are three substances involved in non-specific sponses to infection.				
		or each of the following statements, put a cross \boxtimes in the box next to the name one substance involved.	f			
	(i)	Enzyme released in secretions that break down the cell walls of bacteria.	(1)			
	X	A Histamine				
	X	B Interferon				
	X	C Lysozyme				
	(ii)) Inflammation caused by a chemical released by white cells in connective tiss	ue. (1)			
	X	A Histamine				
	×	B Interferon				
	X	C Lysozyme				

(b) The flow diagram below summarises some of the stages of phagocytosis, a non-specific response to a bacterial infection.



(i) Identify **D**, **E**, **F**, **G** and **H** by writing appropriate terms in the spaces below.

D

(5)

F

G

H

response to some types of bac	(3
	(Total for Question 4 = 10 marks

5	Protein synthesis in cells involves molecules of DNA and RNA.
	(a) The table below describes some features of the molecular structure of DNA and RNA. Place a tick (\checkmark) in the box next to each statement to show whether it applies
	to DNA only, RNA only or to both DNA and RNA.

(2)

Description	DNA only	RNA only	Both DNA and RNA
Polymer formed from a single strand of nucleotides			
Pentose present in the nucleotides			
Adenine, cytosine, guanine and thymine present			
Nucleotides linked by phosphodiester bonds			

(b)		diagram belo ecule.	ow shows the	e sequence of	the last six a	amino acids in a	a protein	
	The	tRNA anticoc	don that corr	esponds to ea	ch amino ac	cid is also showi	า.	
			Alanine— CGA		—Glycine— CCA	—Asparagine— UUA	—Proline — GGA	–Valine CAA
		ng this inform thesis of this s	•		the followi	ng processes le	ads to the	
	(i)	The formation	on of mRNA o	during transcri	ption in the	nucleus		(3)

(ii) The translation of mRNA in	to the sequence of amino	o acids in a ribosome (3)
) Suggest why the final triplet of synthesis of this sequence of an	nucleotides, on the stran nino acids, did not corres	d of mRNA involved in the pond with any anticodon
on tRNA.		(2)
	(Tota	l for Question 5 = 10 marks)

6 Rhododendrons are shrubby plants that are widely distributed throughout the northern hemisphere.

The flowering periods and habitats of two species of rhododendron, found on Yakushima Island in Japan, are shown in the table below.

Species	Flowering period	Main flowering period	Habitat
Rhododendron eriocarpum	April to July	May	Rocky areas in lowland regions
Rhododendron indicum	May to July	June	High mountainous regions

Where these populations overlap, hybrid plants are found that have arisen as a result of cross-fertilisation between these two species. These hybrid plants are capable of flowering and producing viable seeds.

(a) Suggest why some scientists might prefer to classify <i>Rhododendron eriocarpa</i> and <i>Rhododendron indicum</i> as varieties within the same species rather than a separate species.	
	(3)
(b) (i) Explain what is meant by the term genetic diversity in a species.	(2)

	ither of the two separate			(2)
(c) Explain how t	he two different species	of Rhododendron or	n Yakushima Island ma	у
have evolved	from a single population	n of an ancestral spec	ies.	
				(6)

7 Several species of woodlice can be found in most gardens in Britain. Woodlice have bacteria in their digestive system that secrete enzymes required for the digestion of plant cell walls. Woodlice are decomposers of dead plants.

The photograph below shows one of the common species of woodlouse found in gardens in Britain.



Magnification x10 Amateur Entomologists Society / Kieren Pitts

(a) Suggest how woodlice are involved in the recycling of carbon.	(3)

18



the at f Aft	a of paving slabs were fairly active and running about. When she lifted some of stones near the slabs, the woodlice under these stones were relatively inactive irst. However, within a very short time these woodlice started to run about. Here a few minutes, almost all of the woodlice that were under the stones had appeared from view.	
(i)	The student thought that the behaviour and distribution of the woodlice were being influenced by an abiotic factor in her garden.	
	Place a cross ⊠ in the box next to the term that describes this type of idea.	(1)
×	A Hypothesis	(1)
×	B Observation	
×	C Prediction	
X	D Theory	
(ii)	Suggest two examples of abiotic factors that might influence the behaviour and distribution of the woodlice in her garden.	(2)

(c) She decided to investigate the behaviour of the woodlice. She collected ten woodlice and released them into the centre of the area of paving slabs. She took photographs immediately after the woodlice were released (time 0) and each minute for ten minutes. This was repeated twice. Using the photographs, she recorded the number of woodlice on the paving slabs at one-minute intervals.

Her results are shown in the table below.

Time after	Nu	ımber of woodl	ice on paved ar	ea
release / minutes	1st release	2nd release	3rd release	Mean
0	10	10	10	10
1	10	9	9	9
2	9	8	9	9
3	7	7	7	7
4	7	6	5	6
5	6	6	6	6
6	4	5	4	4
7	4	3	4	4
8	3	3	2	
9	0	2	1	
10	1	1	0	

(i) Complete the table by calculating the mean for each of the final three minutes.

(1)



(iii) Explain why it would be difficult to determine which abiotic factor is influencing the behaviour and distribution of the woodlice in a garden environment. (3)
(Tatal for Organian 7 – 12 monto)
(Intal for Chiestian / = 17 marks)

		(3)
Description	Name of structure	P, E or B
Enclosed by outer smooth membrane; inner membrane folded forming cristae		
Long strand-like structure extending out from the cell; used for locomotion		
Small, circular loop of double-stranded DNA		
•	t kills bacterial cells by preventing	g the synthesis of
peptidoglycan, a component of		,
peptidoglycan, a component of (i) State the term used to desc	bacterial cell walls.	,
peptidoglycan, a component of (i) State the term used to deso bacterial cells.	bacterial cell walls.	ycin, that kill
peptidoglycan, a component of (i) State the term used to desc	bacterial cell walls.	ycin, that kill
peptidoglycan, a component of (i) State the term used to descond bacterial cells.	bacterial cell walls.	ycin, that kill (1)
peptidoglycan, a component of i) State the term used to descondent bacterial cells.	bacterial cell walls.	ycin, that kill (1)

(iii) Explain why doctors have been advised to	(2)
Describe how you could investigate the effect of	
	(4)
	(Total for Question 8 = 12 marks)
	TOTAL FOR PAPER = 90 MARKS



